

capdell

FINISHES

ACABADOS

capdell

CATEGORY 1

CATEGORÍA 1

FABRIC & LEATHER
TELAY CUERO

	COMPOSITION COMPOSICIÓN	DURABILITY DURABILIDAD	FLAME RETARDANCY TESTS TEST DE INFLAMABILIDAD	CARE CUIDADOS	RECOMMENDED FOR RECOMENDADO PARA
SPRADLING VALENCIA	100% vinyl (topcoat) 100%polyester (backing)	300.000 Martindale	EU: EN 1021 Part 1 & 2 • DE: DIN 4102 B2 ECE Regulation No.118:03 (R118.02 Annexes 6, 7 & 8) ES: UNE 23.727-90 1R/M.2 • FR: NF P 92-503/M2 IT: UNI 9175 (1987) / UNI 9175/FA1 (1994) Classe 1.IM (UNO I EMME) • AT: ÖNORM B 3825, Gruppe 1 - Schwerbrennbare Verhalten AT: ÖNORM A 3800 Teil 1, Qualmbildungsklasse Q1 - schwachqualmend IMO FTP 2010 Code MSC.307 (88) Part 8 3.1 & 3.2 (MED) Marine Equipment Directive (in its current valid version) EN 71-2:2006+A1:2007 - Safety of Toys - Parte 2: Flammability US: CAL TB 117-2013, Section E US: FMVSS 302 US: FAR 25/853	    	Private and public spaces Espacios privados y públicos
SPRADLING SILVERTEX	100% vinyl (topcoat) 100%polyester (backing)	300.000 Martindale	EU: EN 1021 Part 1 & 2 DE: DIN 4102 B2 ECE Regulation No.118:03 (R118.02 Annexes 6, 7 & 8) ES: UNE 23.727-90 1R/M.2 FR: NF P 92-503/M2 IT: UNI 9175 (1987) / UNI 9175/FA1 (1994) Classe 1.IM (UNO I EMME) AT: ÖNORM B 3825, Gruppe 1 - Schwerbrennbare Verhalten AT: ÖNORM A 3800 Teil 1, Qualmbildungsklasse Q1 - schwachqualmend IMO FTP 2010 Code MSC.307 (88) Part 8 3.1 & 3.2 (MED) Marine Equipment Directive (in its current valid version) EN 71-2:2006+A1:2007 - Safety of Toys - Parte 2: Flammability US: CAL TB 117-2013, Section E US: FMVSS 302 US: FAR 25/853	    	Private and public spaces Espacios privados y públicos
GABRIEL MEDLEY	100%polyester	75.000 Martindale	BS EN 1021 1&2 Cigarette and Match BS EN 1021-1 Cigarette BS 476 Part 7 class II Class Uno UNI 9174 - UNI 8457 ÖNORM A3800-B2-B3825-Q1 UK CA TB 117-2013 ASTM E 84 Class I	    	Private and public spaces Espacios privados y públicos

* CARE LEGEND / LEYENDA CUIDADOS

 Do not wash / No lavar  Wash at maximum 30°C, mild process / Lavar máximo 30°C, programa suave  Do not bleach / No usar lejía  Do not tumble dry / No usar secadora  Do not iron / No planchar  Iron at low temperature (max.110°C) / Planchar a baja temperatura (max.110°C)
 Iron at medium temperature (max.150°C) / Planchar a temperatura media (max.150°C)  Professional dry cleaning with tetrachloroethlene, normal process / Limpieza en seco profesional con tetracloroetileno, proceso normal

SPRADLING
VALENCIA



2113 9607 2107 2119



2112 4044 2002 0002



3067 4003 5069 4002



1049 2001 5001 2062




0035 6012 5057 4042




9035

SPRADLING
SILVERTEX



2089 4004 2101 4010




9002 9001 0001 1010



4012 2099 6004 2011



2105 6061 6062 2093



5010 5020 5019 2103



3066 3007 3001 2101

CATEGORY 1
CATEGORÍA 1

GABRIEL
MEDLEY



60999



60167



61004



61003



61002



67002



62054



63063



63017



63064



67053



67006



68005



68114

capdell

CATEGORY 2

CATEGORÍA 2

FABRIC & LEATHER
TELA Y CUERO

	COMPOSITION COMPOSICIÓN	DURABILITY DURABILIDAD	FLAME RETARDANCY TESTS TEST DE INFLAMABILIDAD	CARE CUIDADOS	RECOMMENDED FOR RECOMENDADO PARA
CREVIN VELVETY	91% PES 9% CO	200.000 Martindale	BS5852 Source 0 • EN 1021 Part 1 • NFPA 260 • CAL TB-117		Private and public spaces Espacios privados y públicos
CREVIN ITO	71% PES 20% PP 9% CO	100.000 Martindale	BS5852 Source 0 • EN 1021 Part 1 • NFPA 260 • CAL TB-117		Private and public spaces Espacios privados y públicos
CREVIN FUSION	34% WO 28% PES 23% PP 15% CO	62.000 Martindale	BS5852 0/1 • EN 1021 1/2 • BS7176 Low hazard • CAL TB117:sect 1 2013 • NFPA 260:2013 • IMO Annex 1 Part 8		Private and public spaces Espacios privados y públicos
CREVIN ARC	52% PP 27% WO 21% PES	50.000 Martindale	BS5852 0/1 • EN 1021 1/2 • BS7176 Low hazard • CAL TB117:sect 1 2013 • NFPA 260:2013 • IMO Annex 1 Part 8		Private and public spaces Espacios privados y públicos
KVADRAT REFLECT	100% post-consumer recycled polyester	100.000 Martindale	US Cal. Bull. 117-2013 • ASTM E84 Class A Unadhered • EN 1021-1/2 • AS/NZS 3837 class 1 • ASTM E84 Class B Adhered • BS 5852 crib 5 with treatment • BS 5852 part 1 with treatment		Private and public spaces Espacios privados y públicos
GABRIEL STEP	100% Trevira cs	100.000 Martindale	IMO MSC 307(88) Annex 1 part 8 • MED Certificate IMO • IMO MSC 307(88) Annex 1 part 8 UK • MED Certificate IMO UK • DIN 4102 - B1 • NFP 92-503/504/505 M1 • BS EN 1021 1&2 Cigarette and Match • BS EN 1021-1 Cigarette BS 5852 Crib 5 • ÖNORM A3800-B1-B3825-Q1 UK • FAR/JAR 25.853 (a) (i) (ii) • BS 7176 Medium hazard AM 18 - NF D 60-013-(only for fabric) • CA TB 117-2013 • Class Uno UNI 9175 Class 1 EMME DIN EN 13501-1 B-s1,d0		Private and public spaces Espacios privados y públicos
GABRIEL NOMA	50% post-consumer recycled polyester fr 50% polyester fr	60.000 Martindale	NFP 92-503/504/505 M1 • DIN 4102 - B1 • BS 7176 Medium hazard • BS EN 1021 1&2 Cigarette and Match • BS 5852 Crib 5 • Class Uno UNI 9175 Class 1 EMME • AM 18 - NF D 60-013-(only for fabric) • CA TB 117-2013		Private and public spaces Espacios privados y públicos
GABRIEL TEMPT	100% polyester	90.000 Martindale	BS EN 1021 1&2 Cigarette and Match • BS EN 1021-1 Cigarette • CA TB 117-2013		Private and public spaces Espacios privados y públicos

* CARE LEGEND / LEYENDA CUIDADOS

- Do not wash / No lavar
- Wash at maximum 30°C, mild process / Lavar máximo 30°C, programa suave
- Do not bleach / No usar lejía
- Do not tumble dry / No usar secadora
- Do not iron / No planchar
- Iron at low temperature (max.110°C) / Planchar a baja temperatura (max.110°C)
- Iron at medium temperature (max.150°C) / Planchar a temperatura media (max.150°C)
- Professional dry cleaning with tetrachloroethylene, normal process / Limpieza en seco profesional con tetracloroetileno, proceso normal

CREVIN
VELVETY



CREVIN
ITO




CREVIN
ARC




CREVIN
FUSION




80



05




40



159




95




139



126



171



149

KVADRAT
REFLECT




204



794



224



274



774



714



644

GABRIEL
STEP



62073



62057



68119



68161



68121




67004



68118



66152



66151



65011



63082



63012



64159



61102



60999



61149



61103



61150



64180

GABRIEL
NOMA



60136



60138

GABRIEL
TEMPT




60152



61168



61191



67103



61171



61172

capdell

CATEGORY 3

CATEGORÍA 3

FABRIC & LEATHER
TELA Y CUERO

	COMPOSITION COMPOSICIÓN	DURABILITY DURABILIDAD	FLAME RETARDANCY TESTS TEST DE INFLAMABILIDAD	CARE CUIDADOS	RECOMMENDED FOR RECOMENDADO PARA
KVADRAT CANVAS	90% new wool worsted 10% nylon	100.000 Martindale	AS/NZS 1530.3 • BS 5852 crib 5 with treatment • BS 5852 ignition source 3 • BS 5852 part 1 • IMO FTP Code 2010 Part 8 • NF D 60 013 • NFPA 260 • SN 198 898 5.3 with treatment • UNI 9175 1IM • US Cal. Bull. 117-2013 • EN 1021-1/2 • ÖNORM B1/Q1	    	Private and public spaces Espacios privados y públicos
KVADRAT REMIX	90% new wool worsted 10% nylon	100.000 Martindale	AS/NZS 1530.3 • BS 5852 crib 5 with treatment • BS 5852 ignition source 3 • BS 5852 part 1 • IMO FTP Code 2010 Part 7 with treatment • IMO FTP Code 2010 Part 8 • NF D 60 013 • NFPA 260 • SN 198 898 5.3 with treatment • UNI 9175 1IM • US Cal. Bull. 117-2013 • EN 1021-1/2 • AS/NZS 3837 class 2 • ÖNORM B1/Q1 • ASTM E84 Class A Unadhered • ASTM E84 Class A Adhered • GB 50222 B1 with treatment (Chinese)	    	Private and public spaces Espacios privados y públicos
KVADRAT ATLAS	90% new wool worsted 10% nylon	100.000 Martindale	BS 5852 crib 5 with treatment • BS 5852 ignition source 3 • BS 5852 part 1 • IMO FTP Code 2010 Part 8 • NF D 60 013 • SN 198 898 5.3 with treatment • UNI 9175 1IM • US Cal. Bull. 117-2013 • EN 1021-1/2 • ÖNORM B1/Q1 • AS/NZS 3837 class 2	    	Private and public spaces Espacios privados y públicos
KVADRAT TONICA	100% new wool	45.000 Martindale	BS 5852 crib 5 with treatment • BS 5852 ignition source 3 • BS 5852 part 1 • IMO FTP Code 2010 Part 8 • NF D 60 013 • UNI 9175 1IM • US Cal. Bull. 117-2013 • EN 1021-1/2 • ÖNORM B1/Q1 • AS/NZS 3837 class 2 • NFPA 260	    	Private and public spaces Espacios privados y públicos
GABRIEL CONTOUR	100% Polyester	85.000 Martindale	CA TB 117-2013 BS EN 1021 1&2 Cigarette and Match BS EN 1021-1 Cigarette	    	Private spaces Public areas Espacios privados y públicos
GABRIEL CRISS CROSS	89% New Zealand wool 11% polyamide	110.000 Martindale	BS EN 1021 1&2 Cigarette and Match BS 5852 Part 1 0,1 Cigarette & match IMO MSC 307(88) Annex 1 part 8 MED Certificate IMO IMO MSC 307(88) Annex 1 part 8 UK MED Certificate IMO UK Class Uno UNI 9175 Class 1 I EMME CA TB 117-2013	    	Private and public spaces Espacios privados y públicos


* CARE LEGEND / LEYENDA CUIDADOS

 Do not wash No lavar	 Wash at maximum 30°C, mild process Lavar máximo 30°C, programa suave	 Do not bleach No usar lejía	 Do not tumble dry No usar secadora	 Do not iron No planchar	 Iron at low temperature (max.110°C) Planchar a baja temperatura (max.110°C)
 Iron at medium temperature (max.150°C) Planchar a temperatura media (max.150°C)	 Professional dry cleaning with tetrachloroethlene, normal process Limpieza en seco profesional con tetracloroetileno, proceso normal				

KVADRAT
CANVAS



764




124



114



414



614



566



926



726

KVADRAT
TONICA



111



171



182



192



443



383



612



832



813



732



672

KVADRAT
REMIX



173



143



326



346



252



612



632



933



866

KVADRAT
ATLAS



621



711



861



431



471



681



951



961



361

CATEGORY 3
CATEGORÍA 3


GABRIEL
CONTOUR




61138




61215



61147




60088



60999




62113




62041



61216



64235



64092




68238



68239



68130



67016



67033




66213




66214



66104




60158



61113

GABRIEL
CRISS CROSS




01101



01301



01501



02201

capdell

CATEGORY 4
CATEGORÍA 4


FABRIC & LEATHER
TELA Y CUERO

	COMPOSITION COMPOSICIÓN	DURABILITY DURABILIDAD	FLAME RETARDANCY TESTS TEST DE INFLAMABILIDAD	CARE CUIDADOS	RECOMMENDED FOR RECOMENDADO PARA
KVADRAT HARALD	100% cotton	100.000 Martindale	AS/NZS 1530.3 • EN 1021-1 • AS/NZS 3837 class 1		Private and public spaces Espacios privados y públicos
KVADRAT PLANUM	44% new wool 42% polyester 14% nylon	100.000 Martindale	BS 5852 crib 5 with treatment • IMO FTP Code 2010 Part 8 • NFPA 260 • UNI 9175 1IM • US Cal. Bull. 117-2013 • DIN 4102 B2 • EN 1021-1/2 • ASTM E84 Class A Unadhered		Private and public spaces Espacios privados y públicos
KVADRAT DIVINA	100% new wool	45.000 Martindale	AS/NZS 1530.3 • BS 5852 Crib 5 • BS 5852 part 1 • BS 5867 part 2 type B • IMO FTP Code 2010 Part 8 • NF D 60 013 • NFPA 260 • SN 198 898 5.3 with treatment • UNI 9175 1IM • US Cal. Bull. 117-2013 • EN 1021-1/2 • EN 13501, C-s1, d0, glued • NFPA 701 with treatment • ASTM E84 Class B Unadhered • ASTM E84 Class A Adhered • ÖNORM B1/Q1 • GB 50222 B1 with treatment (Chinese)		Private and public spaces Espacios privados y públicos
KVADRAT ZERO	65% cotton 20% polyacrylic 15% polyester	70.000 Martindale	BS 5852 crib 5 with treatment • EN 1021-1		Private and public spaces Sophisticated appearance Espacios privados y públicos Apariencia sofisticada
ANTIC CUIR SERIE 100	Top grain pigmented embossed. European cow. 1,1-1,2mm thickness		UNE EN 1021-1&2 • IMO MSC.61(67), code FTP, Annex 1, Part 8, Resolution A.652 (16),		Private spaces Public areas Espacios privados y públicos

KVADRAT
HARALD



582



952



823



123



133



443

KVADRAT
DIVINA



0836



0826



0893



0154



0856



0876



0444



0542



0106




0224



0462



0562



0191

* CARE LEGEND / LEYENDA CUIDADOS

Do not wash / No lavar Wash at maximum 30°C, mild process / Lavar máximo 30°C, programa suave Do not bleach / No usar lejía Do not tumble dry / No usar secadora Do not iron / No planchar Iron at low temperature (max.110°C) / Planchar a baja temperatura (max.110°C)

Iron at medium temperature (max.150°C) / Planchar a temperatura media (max.150°C) Professional dry cleaning with tetrachloroethlene, normal process / Limpieza en seco profesional con tetracloroetileno, proceso normal

KVADRAT
PLANUM




0111



0141



0201



0241




0271



0351



0411



0711



0441



0521



0551



0571



0681



0741



0751



0791



0921



0941



0961

ANTIC CUIR
SERIE 100



101



102



103



109



114



115



141



197


KVADRAT
ZERO



0001



0007



0008



0011

capdell

CATEGORY 5 & 6

CATEGORÍA 5 Y 6

FABRIC & LEATHER
TELAY CUERO

	COMPOSITION COMPOSICIÓN	DURABILITY DURABILIDAD	FLAME RETARDANCY TESTS TEST DE INFLAMABILIDAD	CARE CUIDADOS	RECOMMENDED FOR RECOMENDADO PARA
KVADRAT HUSK	66% polyester filling 15% new wool 9% nylon 9% polyester 1% elastane	100.000 Martindale	BS 5852 crib 5 with treatment • BS 5852 part 1 • IMO FTP Code 2010 Part 8 • NFPA 260 • US Cal. Bull. 117-2013 • DIN 4102 B2 • EN 1021-1/2 • ASTM E84 Class A Unadhered	    	Private spaces Low-traffic public areas Espacios privados Áreas públicas con poco tráfico
KVADRAT UNIFORM MELANGE	68% new wool 22% nylon 10% polyester	100.000 Martindale	AS/NZS 1530.3 • AS/NZS 3837 • BS 5852 crib 5 with treatment • BS 5852 part 1 • IMO FTP Code 2010 Part 8 • NFPA 260 • US Cal. Bull. 117-2013 • DIN 4102 B2 • EN 1021-1/2 • ASTM E84 Class A Unadhered	    	Private spaces Low-traffic public areas Espacios privados Áreas públicas con poco tráfico
KVADRAT VIDAR	94% new wool 6% nylon	100.000 Martindale	BS 5852 crib 5 with treatment • BS 5852 part 1 • IMO FTP Code 2010 Part 8 • NF D 60 013 • NFPA 260 • UNI 9175 IIM • US Cal. Bull. 117-2013 • EN 1021-1/2 • AS/NZS 3837 class 2 • GB 50222 B1 with treatment (Chinese) • SN 198 898 5.3 with treatment • IMO FTP Code 2010 Part 7 with treatment	    	Private spaces Low-traffic public areas Espacios privados Áreas públicas con poco tráfico
ELMO ELMOSOFT	Semi-Aniline leather from Scandinavian cattle 11-1.3mm thickness		ASTM E 662 SMP 800-C • BS 5852 crib 5 • CA TB 117-2013 • Chines B1 • DIN 4102 - 1 (B1) • DIN 53438 part 3 • ECE R118 • ECE R118 Annex 7 (May 2020) • EN 1021 - 1,2 • IMO 2010 FTP Code Part 8 (IMO652) • ISO 1716 • ISO 3795 • ISO 8191 - 1,2 • NF P 92-503 • Önorm B 3825 • RDWC-CP1-04 • UNI 9175 •		Private and public spaces Espacios privados y públicos
KVADRAT MOSAIC	46% polyester filling 27% new wool 12% polyester 9% nylon 6% elastane	100.000 Martindale	BS 5852 crib 5 with treatment • BS 5852 part 1 • IMO FTP Code 2010 Part 8 • US Cal. Bull. 117-2013 • DIN 4102 B2 • EN 1021-1/2 • ASTM E84 Class A Unadhered • IMO FTP Code 2010 Part 9	    	Private spaces Low-traffic public areas Espacios privados Áreas públicas con poco tráfico
KVADRAT TRIANGLE	65% polyester filling 17% new wool 13% polyester 5% nylon	60.000 Martindale	AS/NZS 1530.3 • AS/NZS 3837 • BS 5852 crib 5 with treatment • BS 5852 part 1 • IMO FTP Code 2010 Part 8 • NFPA 260 • US Cal. Bull. 117-2013 • DIN 4102 B2 • EN 1021-1/2 • ASTM E84 Class A Unadhered • IMO FTP Code 2010 Part 9	    	Private spaces Public areas Espacios privados y públicos

* CARE LEGEND / LEYENDA CUIDADOS

 Do not wash No lavar	 Wash at maximum 30°C, mild process Lavar máximo 30°C, programa suave	 Do not bleach No usar lejía	 Do not tumble dry No usar secadora	 Do not iron No planchar	 Iron at low temperature (max.110°C) Planchar a baja temperatura (max.110°C)
 Iron at medium temperature (max.150°C) Planchar a temperatura media (max.150°C)	 Professional dry cleaning with tetrachloroethlene, normal process Limpieza en seco profesional con tetracloroetileno, proceso normal				


KVADRAT
HUSK




0124




0684



0734




0454



0554

KVADRAT
UNIFORM
MELANGE



0623



0583



0813



0793



0463



0553




0983




0283

KVADRAT
VIDAR



123



143



733

ELMO
ELMOSOFT




99999




13048



11033



93129



13072



33001



33004



43054



02119



98015



48027




77127



45065

capdell


KVADRAT
MOSAIC



0922



0222



0532



0722

KVADRAT
TRIANGLE



0252



0572



0792



0122

PREMIUM
GRAIN LEATHER



Premium grain leather / Vaquetilla

Material used for Panel and Iconica lounge chairs. Material para la butaca Iconica y Panel.



Waterproof suede leather / Ante resistente al agua

STRAPS
COLOURS




Beige cotton strap / Cinta algodón beige




Black cotton strap / Cinta algodón negra

Material used for Marta collection / Material para la colección Marta

METAL
FINISHINGS



R9005



R9003




R3000




R7031



R7040




R7032



R6011



R6034



R8023



R3007



Chrome



Black chrome



Smoked copper
Cobre Fumé



Smoked copper
Níquel fumé

WOOD STAINS
TINTES MADERA



S80
Natural / Natural
Beech / Haya



S80
Natural / Natural
Oak / Roble



S82
Dark natural / Natural oscuro
Beech / Haya



S85
Dark brown / Marrón oscuro
Beech / Haya



S99
Black / Negro
Beech / Haya



S90
Grey / Gris
Beech / Haya



S3011
Red / Rojo
Beech / Haya



S10
White / Blanco
Beech / Haya



S5022
Dark blue / Azul oscuro
Beech / Haya



S6020
Green / Verde
Beech / Haya

www.capedell.com